

パンチングメタル

丸孔 [60°千鳥]

金型は、掲載しているもの以外にも多数用意しておりますので、お問い合わせ下さい。
また、掲載しているものでも予告なしに廃版になることもございますので、ご了承願います。


■No.312 ※1 D2.5/P5.0 (22.5%)




■No.314 ※1 D3/P5 (32.4%)



■No.315 ※1 D3/P6 (22.5%)




■No.316 D3/P7 (16.5%)




■No.317 ※1 D4/P6 (40.0%)




■No.318 ※2 D4/P7 (29.3%)




■No.319 D4/P8 (22.5%)




■No.322 ※2 D5/P8 (35.1%)




■No.323 D5/P10 (22.5%)



■No.324 ※1 D6/P8 (50.6%)



■No.325 ※2 D6/P9 (40.0%)




■No.326 D6/P10 (32.4%)




※1 / フチ付きの場合、トビ型にて製作。

※2 / フチ付きの場合、板厚・材質によってトビ型にて製作。


■No.327 D7/P10 (44.1%)




■No.328 ※1 D8/P10 (57.6%)




■No.329 D8/P12 (40.0%)




■No.329-B D8/P15 (25.6%)





■No.330 D9/P12 (50.6%)



■No.332 D10/P15 (40.0%)




■No.333 D10/P16 (35.1%)




8φ×18P (45°千鳥) 使用例 [栗東市内]

■No.335 D11/P16 (42.5%)




■No.336 D11/P17 (37.6%)



■No.337 D12/P15 (57.6%)




■No.338 D12/P17 (44.8%)




■No.339 D14/P18 (54.4%)



■No.340 D15/P20 (50.6%)



■No.341 D16/P21 (52.2%)




■No.342 D18/P25 (46.6%)



■No.343 D20/P28 (45.9%)



■No.344 D20/P30 (40.0%)



■No.348 D25/P35 (45.9%)

